ALMA KAPPA



Offshore Support Vessel



CLASSIFICATION / FLAG

Built	2008	
Flag	French	
IMO	9467500	
Classification	Bureau Veritas I +Hull +Mach	
Service notation	Tug	
Navigation notation	Unrestricted navigation	
Call sign	FMNC	
MMSI	228 396 600	

PRINCIPAL DIMENSIONS

Length o.a	37m
Breadth o.a	11,4m
Draft	4,05m
GRT	476
NRT	143
Clear Deck	120m²

DECK EQUIPMENT

Deck Crane	1 x Heila HLRM 170-4S	
Towing winch	1 x Double drum 50t	
Tugger winch	1 x 100t	
Towing pins	1 x 100t set	
Shark Jaws	1 x 100t set	
Stern roller	1 x 120t	
Towing hook	1 x 45t w/ quick release	

MACHINERY / PROPULSION

Maximum speed	12,5 knots - 8 m³/day	
Economic speed	10 knots - 6 m³/day	
Guard Duty	1 knot - 1 m³/day	
Main engines	2 x 1007 kW Cummins KTA 38	
Auxiliary engines	2 x 150 kW Generators	
Harbour generator	1 x 80 kW Generator	
Propulsion	2 x fixed pitch propellers in nozzles	
Bowthruster	1 x 298 kW	
Bollard Pull	35t	

TANK CAPACITIES

Fuel	320 m³
Fresh Water	75 m³

ACCOMMODATION


MISCELLANEOUS

Heat and air conditioning system		
Sewage treatment plant		
Liferafts	2 x 25 persons	
Rescue boat	1 x 6 persons	


ALMA KAPPA



Offshore Support Vessel



Complete 3D structural model is available for client equipement integration



ALMA KAPPA



Offshore Support Vessel

